

AP5021A Analog Signal Generator

Introduction

This configuration guide contains information to help you configure your AP5021A analog signal generator to meet your requirements. Ordering optional capabilities at the time of purchase provides the lowest overall cost of ownership.



Select Hardware Options

Option	Description	Additional Information
Select Frequency Range (One Required)		
AP5021A-512	Frequency range, 9 kHz to 12.75 GHz	N-type (f) output connector
AP5021A-520	Frequency range, 9 kHz to 20 GHz	2.92 mm (m) RF output connector
AP5021A-540	Frequency range, 9 kHz to 40 GHz	2.92 mm (m) RF output connector
AP5021A-554	Frequency range, 9 kHz to 54 GHz	1.85 mm (m) RF output connector
Select Close in Phase Noise and Long-Term Frequency Stability Performance Level (One Required)		
AP5021A-LN1	Ultra-low close in phase noise and long-term frequency stability	
AP5021A-LN2	Enhanced ultra-low close in phase noise and long-term frequency stability	
Select Mechanical Attenuator (Optionally Choose One)		
AP5021A-1E1	Mechanical step attenuator for 12.75 GHz, 20 GHz, or 40 GHz frequency range	Requires option 512, 520, or 540
AP5021A-2E1	Mechanical step attenuator for 54 GHz frequency range	Requires option 554
Select Fast Switching (Optional)		
AP5021A-UNZ	Fast switching	
Select Analog Modulation (Optionally Choose Any)		
AP5021A-UNT	AM, FM, phase modulation	
AP5021A-PMR	Pulse modulation	Incompatible with option PME
AP5021A-PME	Limited pulse modulation	Incompatible with option PMR
Select General Performance Features (Optionally Choose Any)		
AP5021A-1ER	Flexible reference input	
AP5021A-DC1	24V DC power interface	AC power interface is standard unless option DC1 ordered
AP5021A-GPB	GPIB interface	
Select Calibration Documentation (Optional)		
AP5021A-UK6	Commercial calibration certificate with test data	

Select Accessories

Option	Description
Y9616A	Rackmount Kit, 2U height
Y9613A	Portable Bag

Recommended Services

Model	Description
R-50C-011-3	Keysight Calibration - Return-to-Keysight - 3 years
R-50C-011-5	Keysight Calibration - Return-to-Keysight - 5 years

Related Literature

[AP5021A Analog Signal Generator Product Page](#)

Keysight enables innovators to push the boundaries of engineering by quickly solving design, emulation, and test challenges to create the best product experiences. Start your innovation journey at www.keysight.com.



This information is subject to change without notice. © Keysight Technologies, 2024 - 2025, Published in USA, October 8, 2025, 3124-1854.EN